



# Maintenance of public archives

---

## Instruction to approved repositories

July 2014

## Document details

Document Identifier: 16/Sp2

Version	Date	Description	Revision due
1.0	July 2014	First publication	
1.1	July 2016	Rebranded and reformatted. Explanatory note added to 1.2 Background in square brackets. Balance of content unchanged.	July 2017

## Contact for enquiries

Government Recordkeeping Directorate

Archives New Zealand

Phone: +64 4 499 5595

Email: [rkadvice@dia.govt.nz](mailto:rkadvice@dia.govt.nz)

## Licence



Crown copyright ©. This copyright work is licensed under the Creative Commons Attribution 3.0 New Zealand licence. In essence, you are free to copy, distribute and adapt the work, as long as you attribute the work to Archives New Zealand, Department of Internal Affairs and abide by the other licence terms. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/3.0/nz/>.

# CONTENT

<b>1</b>	<b>Introduction.....</b>	<b>4</b>
1.1	Mandate .....	4
1.2	Background .....	4
1.3	Scope .....	4
<b>2</b>	<b>Requirements .....</b>	<b>4</b>
2.1	Identification and Control.....	4
2.2	Facilities .....	4
2.3	Protection against Disaster .....	5
2.4	Security .....	5
2.5	Shelving and Packaging.....	5
2.6	Environmental Control.....	5

## 1 Introduction

### 1.1 Mandate

This instruction is issued under section 26(2)(c) of the Public Records Act 2005.

Public archives are public records under the control of the Chief Archivist.

Approved repositories are bodies authorised to accept the deposit of public archives for safekeeping.

Under section 26(2)(c) of the Public Records Act 2005 the Chief Archivist may impose standards or conditions, or issue instructions to, an approved repository for specified purposes.

### 1.2 Background

On 1 July 2014 the *Storage Standard* and other mandatory standards issued under the Public Records Act were revoked and replaced with the *Records Management Standard for the New Zealand Public Sector*. The *Records Management Standard* did not apply to archives managed in approved repositories. It was a records management standard rather than an archives management standard. The instruction issued in July 2014 therefore provides for the continuation of the control regime set out in the *Storage Standard* beyond the life of that standard.

[On 1 July 2016, the *Records Management Standard for the New Zealand Public Sector (2014)* was revoked and replaced with the *Information and records management standard*. This standard applies to public offices and local authorities. This instruction still applies.]

### 1.3 Scope

This instruction applies to all approved repositories authorised under the Archives Act 1957 or the Public Records Act 2005.

This instruction applies to all physical (non-digital) public archives that have been transferred to the control of an approved repository.

## 2 Requirements

I instruct approved repositories to maintain physical public archives in accordance with the following requirements:

### 2.1 Identification and Control

1. Archives must be identified and registered in a system which controls them and allows efficient retrieval.
2. Archives must be arranged in an orderly manner, and be well managed so that order is maintained.
3. Procedures must be in place for retrieving, handling and reshelving archives.
4. Inactive records of archival value must be identified so that they can be stored appropriately.

### 2.2 Facilities

5. Archives must be stored in a dedicated storage area.
6. Storage areas must allow ongoing access to archives by authorised users.

7. Archives must be stored in locations which reflect the characteristics of their format and their retention period.
8. The building in which archives are stored must comply with the New Zealand Building Code that applied at the time of construction and associated codes and standards, and be appropriate for use in storing archives.
9. The building in which archives are stored must have adequate drainage systems to prevent flooding.
10. Dedicated storage areas for archives must be insulated from the climate outside.
11. Dedicated storage areas for archives must be protected against internal hazards e.g. vermin or fire caused by an electrical fault.
12. A building maintenance programme must be in place.

### **2.3 Protection against Disaster**

13. Archives are located as far as possible from natural and man-made hazards.
14. A disaster management plan and procedures must be in place, kept current, and known to staff.
15. Staff responsible for archives must be trained in emergency procedures to protect and salvage the records.
16. There must be a comprehensive fire protection system and equipment for the building, in compliance with the New Zealand Building Code that applied at the time of construction.

### **2.4 Security**

17. Archives which contain sensitive or classified information must be identified and protected.
18. Access to archives storage areas must be controlled and restricted to authorised staff.
19. Dedicated storage areas for archives must be intruder resistant and have an intruder alarm system.

### **2.5 Shelving and Packaging**

20. Archives must be stored using shelving or equipment appropriate to the format and size of the items.
21. The minimum height for the lowest shelf must be 150mm off the floor.
22. Archives must be packaged in containers which are clean, in good condition and appropriate to the format of the archives.

### **2.6 Environmental Control**

23. Archives must be stored away from sunlight and artificial light.
24. Magnetic media must be stored away from magnetic fields.
25. Dedicated storage areas for archives must be kept clean and free of insects, with no food or drink permitted.
26. Archives must be stored in conditions where the relative humidity is never above 60% RH or below 30% RH.
27. Archives must be stored in conditions where the temperature is never above 25 degrees Celsius.
28. Archives must be stored in conditions where relative humidity does not fluctuate by more than  $\pm 5\%$  RH in a 24 hr period, and seasonal variations are not more than  $\pm 10\%$  RH over a year.

29. Archives must be stored in conditions where temperature does not fluctuate by more than  $\pm 2$  degrees Celsius in a 24 hr period, and seasonal variations are not more than  $\pm 5$  degrees Celsius over a year.
30. Environmental conditions for archives must be regularly monitored, and records of monitoring must be kept.